


MATERIALE: ACCIAIO  
MATERIAL: STEEL



TF

TESTE DI BIELLA AUTOLUBRIFICANTI - ROD ENDS SELF-LUBRICATING

ø mm.	A	B	C	Ø	D	E	F	G	H	L	M	P	S	W	Carico radiale		Peso
															Dinamico	Statico	
	H7	0	0	SFERA	±0,13	±0,5		±0,5		±0,7	±0,7	±0,5	+0,2 -0,7	±0,25	kg	kg	g
<b>25 - 32</b>	10	12,9	14	19,05	11,5	30	M10x1,25	43	58	15	15	19	6,5	16	1.200	3.100	88
<b>40</b>	12	15,4	16	22,23	12,5	34	M12x1,25	50	67	18	17,5	22	6,5	18	1.400	3.700	120
<b>50-63</b>	16	19,3	21	28,58	15,5	42	M16x1,5	64	85	24	22	27	8	24	2.500	6.300	240
<b>80-100</b>	20	24,4	25	34,93	18,5	50	M20x1,5	77	102	30	27,5	34	10	30	3.700	8.300	430
<b>125</b>	28	32,3	35	47,59	26	66	M27x2	103	136	41	37	46	14	41	7.100	14.200	1.120